

SAFETY DATA SHEET

Page:1/6

SDS No.: PRT-2413

Product Name: TONER TN315C/TN316C

Prepared date:18-May-2007 Revised Date: 13-Jul-2021

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name: TONER TN315C/TN316C used for: magicolor 8650/8650CK

Supplier Identification:

Konica Minolta Business Solutions U.S.A., Inc. 100 Williams Drive, Ramsey, New Jersey 07446, U.S.A. Telephone: 201-825-4000

Emergency Telephone No. CHEMTREC Telephone: 1-800-424-9300

2. HAZARDS IDENTIFICATION

Regulation (EC) No 1272/2008

Classification: Not classified as dangerous.

Hazard Communication Standard (USA)

Classification: Not classified as dangerous.

LABEL ELEMENTS

Precautionary pictograms:	
Signal word:	
Hazard Statement:	
Precautionary Statements:	

Other Hazards

Dust explosion (like most finely divided organic powders).



Page:2/6

SDS No.: PRT-2413

	SDS No.: PRT-2413
Product Name: TONER TN315C/TN316C	
	Prepared date:18-May-2007
	Revised Date: 13-Jul-2021
	REDIENTS
Substance [] Preparation [X]	
Major Ingredients:	
[Generic Name]	[CAS No.] [%]
Styrene acrylic resin	+++ 75-85
Wax	+++ 10-20
Organic pigment	147-14-8 1-10
Wax-2	+++ 1-10
Amorphous silica	7631-86-9 1-10
Titanium dioxide	13463-67-7 < 1
+++: Supplier's confidential information	
Hazardous Ingredients:	
Chemical Name: Titanium dioxide	
	NECS-No.: 236-675-5
	RC Monographs: Group 2B
H code(EC): Carc. 2, H351	
4. FIRST-AID MEASURES	
Ingestion: Wash out mouth with water. Drink one o	r two glasses of water. If symptoms occur, get medical
attention.	
Inhalation: Move victim to fresh air immediately. If s	ymptoms occur, get medical attention.
Eye Contact: Flush eyes with plenty of water for 15 mi	inutes. If symptoms occur, get medical attention.
Skin Contact: Wash with water and mild soap.	
5. FIRE-FIGHTING MEASURES	
Suitable Extinguishing Media: CO2, water spray, foam a	nd dry chemical
Extinguishing Media to Avoid: Full water jet	nd dry chernical
Fire and Explosion Hazards: If dispersed in air, like most	finally divided organic nowders, may form an explosive
mixture.	ni leiy divided organic powders, may form an explosive
Protection of Firefighters: Use self-contained breathir	a apparatus(SCBA)
	iy apparatus (SODA).
6. ACCIDENTAL RELEASE MEASURES	
Personal Precautions: None	
Environmental Precautions: None	
Methods for Cleaning Up: Wear personal protective eq	uipment(See Section 8). Vacuum or sweep material
and place in a bag and hold	l for waste disposal. Use vacuum equipped with High
Efficiency Particulate Air(HE	EPA) filter. Vacuum should be electrically bonded and
grounded to dispel static ele	ectricity. To avoid dust generation, do not sweep dry.



Page:3/6

SDS No.: PRT-2413

Product Name: TONER TN315C/TN316C

Prepared date:18-May-2007 Revised Date: 13-Jul-2021

7. HANDLING AND STORAGE

Handling

Technical Measures: None

Precautions: Do not breathe dust. Avoid contact with eyes.

Safe Handling Advice: Try not to disperse the particulates.

Storage

Technical Measures: None

Storage Conditions: Keep container closed. Store in a cool and dry place. Keep out of reach of children. Incompatible Products: None

Packaging Materials: Bottles or Cartridge designated by Konica Minolta.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Measures

Ventilation: None required with intended use.

Control Parameters(As total dust)

ACGIH-TLV(USA) :	10mg/m3 (Inhalable particles)	3.0 mg/m3 (Respirable particles)
OSHA-PEL(USA):	15mg/m3 (Total dusts),	5.0 mg/m3 (Respirable fraction)
DFG-MAK(GER):	4mg/m3 (Inhalable fraction),	1.5mg/m3 (Respirable fraction)
Safe Work Australia-TWA:	10mg/m3	
Control Parameters (As Ingredients: Titanium dioxide)		
ACGIH-TLV(USA): 10mg/m3 OSHA Z-		les(USA): 15mg/m3
Safe Work Australia-TWA	.: 10mg/m3	

Personal Protective Equipment

Not required under normal conditions. For use other than in normal operating procedures (such as in the event of large spill), goggles and respirators may be required.

Hygiene Measures: Wash hands after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Appealance		
Physical State: Solid	Color: Cyan	
Form: Powder (mean dia. is 5-10 um by volume)		
Odor:	Almost odorless	
PH	Not applicable	
Boiling Point(°C):	Not applicable	
Melting Point(°C):	Around No data available /[] (Softening Point)	
Flash Point(°C):	Not applicable	
Auto-Ignition Temperature(°C):	No data available	
Upper/ lower flammability or explosive limits	No data available	
Explosion Properties:	No data available	
Evaporation rate:	No data available	
Vapor Pressure:	Not applicable	
Vapor density:	Not applicable	
Specific Gravity:	1.2	
Solubility:	Insoluble in water.	
Partition Coefficient, n-Octanol/Water:	Not applicable	
Decomposition temperature:	Not applicable	



Page:4/6

SDS No.: PRT-2413

Product Name: TONER TN315C/TN316C

Prepared date:18-May-2007 Revised Date: 13-Jul-2021

10. STABILITY AND REACTIVITY

Reactivity:	None.	
Stability:	Stable except above 200C(392F).	
Hazardous Reactions:	Dust explosion, like most finely divided organic powders.	
Conditions to avoid:	Electric discharge, throwing into fire.	
Materials to Avoid:	Oxidizing materials.	
Hazardous Decomposition Products: CO, CO2, NOx and smoke.		
Hazardous Polymerization:	Will not occur.	

11. TOXICOLOGICAL INFORMATION

Acute Toxicity:

Ingestion(oral), LD50(mg/kg):	>2500 (Rat) *
Dermal, LD50(mg/kg):	No data available
Inhalation, LC50(mg/l):	>4.79 (Rat,4hour) *(This was the highest attainable concentration.)
Eye irritation:	Non irritant (Rabbit) *
Skin irritation:	Non irritant (Rabbit) *
Skin sensitizer:	Non sensitizer (Guinea pig) *

Local Effects: see Chronic Toxicity or Long term Toxicity

Chronic Toxicity or Long Term Toxicity:

Prolonged inhalation of excessive dust may cause lung damage. It is attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lungs for a prolonged interval. Use of this product, as intended, does not result in inhalation of excessive dust.

In a study in rats by chronic inhalation exposure to a typical toner, a mild to moderate degree of lung fibrosis was observed in 92% of rats in the high concentration(16mg/m³) exposure group, and a minimal to mild degree of fibrosis was noted in 22% of the animals in the middle(4mg/m³) exposure group. But no pulmonary change was reported in the lowest(1mg/m³) exposure group, the most relevant level to potential human exposures.

Carcinogenicity

The IARC reevaluated titanium dioxide as a Group 2B carcinogen (possible human carcinogen). In animal chronic inhalation studies, the tumor formulation observed in only rats with animal chronic inhalation study are attributed to "lung overloading", a generic response to excessive amounts of any dust retained in the lungs for a prolonged interval. Use of this product, as intended, dose not result in inhalation of excessive dust. Epidemiological study to date have not revealed any evidence of the relation between exposure to titanium dioxide and diseases of the respiratory tract beyond general effects of dust.

Mutagenicity:	Negative * (AMES test)
Teratogenicity:	No data available

(*= Based on data for other Konica Minolta Products with similar ingredients)

12. ECOLOGICAL INFORMATION

No data are available on the adverse effects of this material on the environment.

- Ecotoxicity: No data available
- Mobility: No data available Persistence and degradability: No data available Bioaccumulative potential: No data available



Page:5/6

SDS No.: PRT-2413

Product Name: TONER TN315C/TN316C

Prepared date:18-May-2007 Revised Date: 13-Jul-2021

13. DISPOSAL CONSIDERATION

When disposing of the waste or recovered material, consult federal, state and/or local regulations for the proper disposal method.

14. TRANSPORT INFORMATION

Information on Code and Classifications According to International Regulations

UN Classification: None

Further information: Not a dangerous good under IATA or IMDG.

Hazchem code (Austl.): None

15. REGULATORY INFORMATION

US Information

TSCA (Toxic Substances Control Act):

All chemical substances in this product comply with all applicable rules or order under TSCA.

California Proposition 65:

Ingredient titanium dioxide subject to California Proposition 65 is bound in polymer-matrices so that warnings are not required.

CERCLA(Comprehensive Environmental Response Compensation and Liability Act) :

None.

SARA Title III (Superfund Amendments and Reauthorization Act) 302 Extreme Hazardous Substance : None.

311/312 Hazard Categories :

None.

313 Reportable Ingredients :

None.

EU Information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

• Regulation (EC) No 2037/2000 of the European Parliament and of the Council on Substances That Deplete the Ozone Layer: Not applicable

• Regulation (EU) 2019/1021 of the European Parliament and of the Council on Persistent Organic Pollutants (POPs): Not applicable

• Regulation (EU) No 649/2012 of the European Parliament and of the Council on Concerning the Export and Import of Dangerous Chemicals (PIC): Not applicable

• Directive 2012/18/EU of the European Parliament and of the Council on the Control of Major-Accident Hazards Involving Dangerous Substances, Amending and Subsequently Repealing Council Directive 96/82/EC, (Seveso III): Not applicable

• Regulation (EC) No 1907/2006 of the European Parliament and of the Council:

- Annex XIV- List of Substances Subject To Authorization: Not applicable
 - Annex XVII- Restrictions on the Manufacture, Placing on the Market and Use of Certain Dangerous Substances, Preparations and Articles: Not applicable

For this product a chemical safety assessment was not carried out.



SAFETY DATA SHEET

Page:6/6

SDS No.: PRT-2413

Product Name: TONER TN315C/TN316C

Prepared date:18-May-2007 Revised Date: 13-Jul-2021

16. OTHER INFORMATION

HMIS Rating: The National Paint and Coating Association (USA): Health: 1 Flammability: 1 Reactivity: 0 Full text of H phrases:

Carc: Carcinogenicity

H351: Suspected of causing cancer

Explanation of term: IARC 2B means "possible human carcinogen".

Abbreviations:

ACGIH-TWA: Threshold Limit Value of American Conference of Government Industrial Hygienists CERCLA: Comprehensive Environmental Response, Compensation, and Liability Act DFG-MAK: Maximale Arbeitsplatz-Konzentration by Deutsche Forschuugsgemeinschaft DGR: Dangerous Goods Regulations EINECS: European Inventory of Existing Commercial Chemical Substances H-Code: Hazard Code HMIS: Hazardous Materials Identification System IARC: International Agency for Research on Cancer IATA: International Air Transport Association IMDG: International Maritime Dangerous Goods Code NTP: National Toxicology Program **OEL:** Occupational exposure limit OSHA: Occupational Safety and Health Administration PBT: Persistent, Bioaccumulative and Toxic SARA: Superfund Amendments and Reauthorization Act TSCA: Toxic Substances Control Act vPvB: very Persistent and very Bioaccumulative Revision Information: Regular revision on revised date. Literature References: ANSI Z400.1-1993 ISO 11014-1 Commission Directive 91/155/EEC IARC(2010): IARC monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol. 93, Carbon Black, Titanium Dioxide, and Talc, Lyon, pp. 43-191 H.Muhle, B.Bellmann, O.Creutzenberg, C.Dasenbrock, H.Ernst, R.Kilpper, J.C.MacKenzie, P.Morrow, U.Mohr, S.Takenaka, and R.Mermelstein(1991) Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats. Fundamental and Applied Toxicology 17, pp.280-299. NIOSH CURRENT INTELLIGENCE BULLETIN : Evaluation of Health Hazard and Recommendation for Occupational Exposure to Titanium Dioxide :DRAFT Restrictions: The above information is believed to be accurate and represents the best information currently available to Our Corporation. However, Our Corporation makes no warranty with respect to such information, and Our Corporation assumes no liability resulting from its use. Users should make their own investigation to determine the suitability of the information for their particular purposes.